



2017 PRODUCT CATALOG

REFRIGERATION TECHNOLOGIES

WE ARE A PRODUCT LEADERSHIP COMPANY

Companies that focus on product leadership push the envelope. They build products that change the way the customer lives. They create a culture of innovation, out-of-the-box thinking, and brand loyalty. The strategy of Refrigeration Technologies is to peruse excellence in product leadership. Our products are formulated with one goal in mind "Have No Equal".

INNOVATE + ENGAGE

Refrigeration Technologies, a family company, was created in 1987 by John Pastorello, a contractor who was tired of using obsolete chemical products. A former chemist turned HVAC/R technician, he fell back on his love of science to invent a brand of proprietary products that would change the way the industry viewed specialty chemicals. This innovative spirit continues to strengthen and advance the HVAC/R industry increasing efficiency, profits, and sustainability.

TABLE OF CONTENTS

Blu
Nylog4
Viper Brite5
Viper Evap +6
Viper Coil Cleaner7
Viper Heavy Duty8
Viper WetRag9
Viper Nickel Safe Ice Machine Cleaner10
Viper Wipes11
Viper Coil Coating12
Checkmate
Viper Pan & Drain Cleaner14
Silicone Grease14
Certifications15
Manufacturers Representatives and Distribution

BIG BLU SUBZERO BIG BLU BRUSH ON

A Higher Level of Leak Detection:

The Original Big Blu family of bubble leak detectors are used by OEM's and industry professionals worldwide. Our fluids are strong, persistent film forming liquids that are the only bubble/foam indicators capable of detecting gas leakage down to 0.65 ounces per year. Use on any gas including Oxygen.

Big Blu is the original spray on leak detector.
Big Blu Subzero is freeze protected to -30F.
Big Blu Brush On is great for spot leak applications and is supplied with a 10" telescopic dauber.

Non-Toxic Non-Corrosive Biodegradable Oxygen Safe

BIG BLU		
P/N: RT100S	QUART	
RT100G	GALLON	
RT100D	55 GALLON DRUM	
Temp Range	+35 to 177 F	
Sensitivity	0.65 oz per yr	

BIG BLU SUBZERO		
P/N: RT150S	QUART	
RT150G	GALLON	
Temp Range	-30 to 202 F	
Sensitivity	0.79 oz per yr	

BIG BLU BRUSH ON		
P/N: RT175B	802 TELESCOPIC DAUBER	
Temp Range	0 to 185 F	
Sensitivity	0.74 oz per yr	





NYLOG

It's a Sealant: Nylog is a viscoelastic fluid made from refrigeration grade compressor oil. Gaskets coated with Nylog will never dry or become heat fixed to the surface. Threaded connections coated with Nylog will prevent high pressure leaks by forming a hydraulic seal. The compound always remains temperature and vibration resilient.

It's a Lubricant: Nylog can be used as a high tack assembly lube when installing shaft seals, o-rings, schrader valves, ball valves, unloaders or other system components. Nylog is fully miscible and 100% compatible with the refrigerant and base compressor oils.

NYLOG RED Is based on Mineral Oil and used on Ammonia, Propane, CFC or HCFC systems.

NYLOG BLUE is synthetic ester oils fully compatible with all systems including those based on PVE oil, HFO refrigerants and CO2.

Will Never Harden or Dry Will Not Clog or Contaminate Systems Fully Compatible and Miscible Used and Recommended by OEM's



NYLOG RED		
Base	Mineral Oil	
Application	CFC or HCFC Systems	
Temp Range	-30 to 350 F	
Size	30ml	

NYLOG BLUE		
Base	Synthetic Ester Oils	
Application	HFC Systems	
Temp Range	-35 to 425 F	
Size	30ml	

CEC & HOLO COMPANY



VIPER BRITE

NOTHING ELSE CLEANS OR FOAMS BETTER

Viper Brite is a highly aggressive alkaline coil brightener. It is recommended for use on heavily soiled coils that have not been cleaned in years. A 10:1 dilution will provide abundant amounts of foaming power that will push debris out of deeply impacted coils. The alkaline effect strips hard oxidation from aluminum fins to restore the coil to a bright metallic sheen. Please respect the power of this chemical and always wear full protective gear.

Use with our Foam Sprayer. No need to per-dilute. Just add Viper Brite straight from the bottle into the canister. You can choose from 5 different dilution ratios. A simple garden hose is all you need.

Non-Acid High Foaming Super Cleaning/Degreasing Biodegradable EPA Compliant

NSF

Ultra Foaming

GER: Corrosiv

Non-Acid

1 U.S. Gallon (3.786 liters)

VIPER BRITEP/N: RT300GGALLONConcentrated: Dilute 10:1

C RIENCE


Biodegradale

VIPER EVAP+

COIL CLEANING BREAKTHROUGH

Viper Evap+ is the industry's only non-rinsing evaporator coil cleaner using enzymes in a high performance detergent base. Embedded soils that resist conventional detergents are removed successfully with Viper Evap+. The solution remains active for 72 hours with condensate production for continuous cleaning and complete odor elimination. Spray on and fully saturate the coil. Place the unit back into operation. The performance is impressive.

Non-Toxic No Odors Aluminum Safe Biodegradable











VIPER COIL CLEANER

NOTHING BEATS VIPER

Viper is a potent degreasing compound that does not contain any hazardous ingredients or give off toxic fumes. Use it to clean small indoor kitchen equipment, condenser and evaporator coils. No need to rinse the evaporator and the condenser only needs a light water rinse for minimal clean-up. The aerosol injector produces a pin spray of expanding foam that penetrates deep in between the coil fins. The foam will liquefy after a few minutes removing heavily imbedded grease and grime.

Non-Toxic No Odors Non- Flammable Aluminum Safe EPA Compliant

> VIPER COIL CLEANER P/N: RT375A 18 oz AEROSOL

R COLEGRADING

VIPER HEAVY DUTY

PERFORMANCE WITHOUT HAZARDOUS INGREDIENTS

Viper Heavy Duty is a concentrated version of our popular Viper aerosol product. Use Viper HD instead of a hazardous acid or alkaline cleaners for unbelievable performance. Viper HD is a multipurpose cleaner/degreaser that can be used to clean just about anything. Use it as a non-rinsing evaporator or condenser coil cleaner. When diluted above 20:1, no need to rinse condenser coils if a water source is not available. Apply it through our foam gun or in any type of high or low pressure spray equipment.

NSF

7 DUN

1 U.S. Gallon (3.785 liters)

Condensers & Evaporators

Safe for Food Processing Areas

Non-Toxic No Odors Aluminum Safe Biodegradable









VIPER WETRAG

BETTER THAN A WET RAG

This reusable heat blocking putty keeps piping and sensitive components cooler than traditional wet rag applications during brazing, soldering, or welding. It is made from the same materials found in the heat shield of the space shuttle. Simply apply, remove, and reuse.

Reusable like a Wet Rag Protects surfaces, valves, and other sensitive parts from heat damage Blocks direct and conductive heat transfer No mess formula Use with Map/Pro, Oxy/Acetylene, Mig, Tig, Arc, and propane torches Non-Toxic

VIPER WETRAGP/N: RT400P12 OUNCES



VIPER ICE MACHINE CLEANERS

ICE MACHINE CLEANER 2.0

Until now, ice machine cleaners were nothing more than low tech Phosphoric acid. Our Viper Ice Machine cleaner is formulated with an advanced blend of organic acids that will remove more scale faster than any other product of its kind. It is a stronger acidic cleaner that is lower in toxicity, non-fuming, less corrosive and environmentally preferred over Phosphate based chemicals.

Nickel Safe

Use 8oz of cleaner for every 250-300lb per day of ice production. Our cleaner has been tested and approved to be safe for use on Manitowoc nickel plated evaporators. NICKEL ICE MACHINE

noves More Scale

Fast Acting Formula

Removes more Scale

SF & Kasher Approved

Fast Acting Formula

NSF & Kosher Approved

Maximum Strength

Use 16oz of cleaner for every 250-300lb per day of ice production for ice machines using stainless steel evaporators.

NICKEL SAFE CLEANER		
P/N: RT500N	16 oz	
RT500G	GALLON	







CLEANS ALMOST ANYTHING

Viper Wipes are ultra-strong dual textured waterless hand towels that will clean almost anything. Use to remove dirt, grease, oil, grime, tar, mastic, caulking and more! Towels absorb soils leaving your hands clean. These convenient wipe and go towels are used by professional mechanics on the road, on the roof, and in the shop. No water rinse is required. Viper Wipes contain Lanolin, Aloe, and Vitamin E for soothing relief on hands covered with nicks, scraps, and minor cuts.



VIPER WIPES		
P/N: RT600D	80 WIPES	

VIPER COIL COATING

INDUSTRIAL COIL COATING

Our Viper Coil Coating is the same formulation we supply to factory OEM'S and coil manufacturers. It is the toughest and longest lasting coating you will ever use. Bonds to all metal surfaces and withstands temperatures to 400F (205°C). The aerosol injector provides a flat vertical spray pattern for reaching deep into the coil body. In field application, simply apply a single coat to the front and back of the coil. There will be no significant loss of heat transfer when used as directed. Protects coils from salt water and many other chemically corrosive environments. Viper Coil Coating is a solvent borne clear coating that meets all State and Federal VOC regulations.

Complete Corrosion Protection Bond to all Metals Withstands High Temperatures No Loss of Heat Transfer Used by OEM's

VIPER COIL COATINGP/N: RT640A15 OUNCES







CHECKMATE

PREDICTING COMPRESSOR FAILURE

The Checkmate method is the industry's only valid field test for measuring Acid and Moisture levels in both the compressor oil and in any refrigerant gas. Since its introduction in 1995, Checkmate is now used by refrigerant packagers, reclaiming companies and thousands of service contractors all over the world. The detector tubes have been tested for accuracy by ETL, Intertek Testing Services, an ARI approved laboratory.

CHECKMATE

P/N: **RT700K**

BRASS BODY WITH EXTENSION HOSE AND UNION

14 PAGE ILLUSTRATED MANUAL

1-PACK (3EA) ACID DETECTOR TUBES

1-PACK 3(EA) MOISTURE DETECTOR TUBES

1-PACK (3EA) OIL DETECTOR TUBES

VIPER PAN & DRAIN TREATMENT

STOP CHRONIC DRAIN BLOCKAGE

Viper Condensate Pan and Drain Treatment is a sprayable gel that contains enzymes and silicone detergents. The enzymes are natural biological disruptors that will penetrate and break through the solid layers of slime, sludge and sediment. The silicone detergents coat the pan, p-trap and drain piping with a lubricative film to improve flow and prevent future soil adhesion. The slow dissolving gel will outperform and outlast conventional tablets and strips..

Non-Toxic Eliminates Odors Safe for all Metals and Plastics Biodegradable EPA Compliant









SILICONE GREASE

FOOD GRADE LUBRICANT

Our Silicone Grease has hundreds of uses. It is the lubricant of choice in food equipment, water fixtures, vacuum connections, ice machines, ovens and refrigeration hardware. It has a high dielectric strength for safely lubricating electromechanical devices. Commonly used as protective coating to prevent corrosion on battery terminals, electrical connectors and damper motors. Silicones are compatible with most plastics, rubber, leather, composite fibers and all metals. Our Silicone Grease has a stable consistence over a wide temperature range with low volatility. It is chemically resistant to many detergents and is an ideal waterproofing compound. Kosher certified and NSF rated H1 for incidental food contact.

TEST	METHOD	RESULT
FOOD GRADE	NSF	H-1, INCIDENTAL FOOD CONTACT
COLOR	GARDNER	TRANSLUCENT WHITE
PENETRATION	ASTM D-217	3
FLASH POINT	CLOSED CUP	>570F
BLLED	F.S. 791	NON
DROPPING POINT	ASTM D-566	NONE
POUR POINT	ASTM D-97	-45 F
WATER WASHOUT	ASTM D-1264	0.75%
EVAPORATION LOSS	ASTM D-972	30% @ 390 F
SPECIFY GRAVITY	ASTM D-2225	1.03

SILICONE GREASE			
P/N: RT910T	3 oz TUBE		
	Registered for use in all food processing areas.		

CERTIFICATIONS

PRODUCT	NSF REGISTRATION	KOSHER
BIG BLU	P1-119847	JVV-ZKMK
BIG BLU SUBZERO	P1-HT1-119848	JVX-RKGR
BIG BLU BRUSH ON	P1-119846	JVT-JCBM
NYLOG RED	H2-119543	HXK-XCKS
NYLOG BLUE	H2-119845	HXV-QKSJ
VIPER BRITE	F1-084269	HXX-VMMC
VIPER EVAP+	F1-126062	HXZ-PVRJ
VIPER COAL CLEANER	P1-120060	HZP-DQML
VIPER HEAVY DUTY	A1-120080	HZV-GHKX
WETRAG		HZK-NJQS
VIPER NICKEL SAFE ICE MACHINE CLEANER	A3-145855	QHZ-XLJZ
VIPER COIL COATING		HZV-NBDG
VIPER PAN & DRAIN CLEANER	L1-119844	JVW-LMCZ
SILICONE GREASE	H1-119842	HZV-KTZN

SPECIFIC APPLICATIONS


BIG BLU	OXYGEN SAFETY, CORROSIVITY	TRUESDALE, TUSTIN, CA
BIG BLU SUBZERO	OXYGEN SAFETY, CORROSIVITY	TRUESDALE, TUSTIN, CA
BIG BLU BRUSH ON	OXYGEN SAFETY, CORROSIVITY	TRUESDALE, TUSTIN, CA
NYLOG RED	SEALED TUBE COMPATIBILITY, MISCIBILITY	INTERTEK, COLUMBUS, OH
NYLOG BLUE	SEALED TUBE COMPATIBILITY, MISCIBILITY	INTERTEK, COLUMBUS, OH
VIPER HEAVY DUTY	CLEANING EFFICIENCY	SGS, FAIRFIELD, NJ
CHECKMATE	DETECTOR TUBE ACCURACY	INTERTEK, COLUMBUS, OH
SILICONE GREASE	COMPLETE PROFILE	SPECIALTY LUBRICANT, NORCO, CA

Safety Data Sheet Review NSF, Ann Arbor, MI

VOC Compliance and Survey South Coast Air Quality Management District, Diamond Bar, CA Product Labeling Review NSF, Ann Arbor, MI

> **OK Kosher** Brooklyn, New York

MANUFACTURER'S REPRESENTATIVES AND DISTRIBUTION



TECHNICAL SUPPORT AND INQUIRIES ALWAYS WELCOME



Division of RTX Scientific, Inc. a California Corporation

1111 N. Armando St., Anaheim, CA 92806 phone: 800.869.1407 714.238.9207 714.238.9234 FAX

www.refrig.com